NorthLakes COMMUNITY CLINIC

Child and Adolescent Mental Health Intake

This intake form is for individuals' ages 3-17 years It may be completed by the child, the parent and/or both

Legal Name:		Pre	ferred I	Name:				
Gender Assigned at Birth:		Pro	nouns:	she/hers	he/his	they/them	ze/zer	ask me
Parent/Legal Guardian Name:								
Legal shared parenting agreement?	□Yes	□ No			Custod	y concerns?	□Yes	□No
For what issues are you seeking help	?							
When did these issues start?								
What do you hope to gain from coun	seling?	How wil	l you k	now thing	s are be	tter?		
How long do you expect to be in cour □1-3 sessions		sessions		A long ti	me	□No idea		
		F -1	- 4					
School/Day Care Name:		Educ	ation					
Current Grade:			Hav	e an IEP	or 504 I	Plan? □Yes	□No	
Client Name:								1

Any behavioral or academic concerns? □Yes □No				
Developmental History				
	□No			
All developmental milestones met? □Yes □No				
Any significant changes in life such as:				
□Frequent moves □Changes in Caregivers □Death of a friend/relative				
□Witness to violence □History of Abuse/Neglect □Other:				
Work a part time job? □Yes □No				
Involved in extra-curricular activities (sports, youth groups, or clubs)? □Yes □No				
What do you like to do for fun?				
Is spirituality a part of your life? \Box Yes \Box No \Box It's complicated				
Family & Relationships				
Who lives in your home with you?				
Do you have visits with another parent? ☐ Yes ☐ No If yes, how often do you visit?				
Do you have siblings who live in another home? □ Yes □ No				
Describe your relationship with family:				
Are you dating? 🗆 Yes 🗆 No 🛛 Are you currently in a relationship? 🗆 Yes 🗆 No				
Describe your relationship with friends:				
Do you feel supported by your friends and family? □Yes □No □Sometimes				
Medical & Mental Health Treatment History				
Physician Name: Dentist Name:				
Chronic medical problemsYesNoHead Traumas/Concussions:YesPast Counseling Experience?YesNo When?Where?	□No			
Please list any current medications:				
Client Name:	2			

SelfDepressionAnxietyBipolar DisorderSchizophreniaPost-Traumatic StressDrug/Alcohol AddictionEating DisorderViolenceSuicideProblems with Focus or AttentionOtherStrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sickShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften fights with other youthGenerally liked by other youthEasily distracted, concentration wandersNervous in new situations, easily loses confidence	ness	Father Father	Sibling	
AnxietyImage: constant of the second sec				
Bipolar DisorderISchizophreniaISchizophreniaIPost-Traumatic StressIDrug/Alcohol AddictionIEating DisorderIViolenceISuicideIProblems with Focus or AttentionIOtherIStrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sicktShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften unhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders		Ities		
Schizophrenia□Post-Traumatic Stress□Drug/Alcohol Addiction□Eating Disorder□Violence□Suicide□Problems with Focus or Attention□Other□StrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sicknShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften unhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders		Ities		
Post-Traumatic Stress□Drug/Alcohol Addiction□Eating Disorder□Violence□Suicide□Problems with Focus or Attention□Other□StrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sicknShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften unhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders		 		
Drug/Alcohol AddictionIEating DisorderIViolenceISuicideIProblems with Focus or AttentionIOtherIStrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sickShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften unhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders		Ities		
Eating Disorder□Violence□Suicide□Problems with Focus or Attention□Other□StrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sicknShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften fights with other youth or bullies themOften unhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders		 		
Violence□Suicide□Problems with Focus or Attention□Other□StrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sickShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften nhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders		 		
Suicide□Problems with Focus or Attention□Other□StrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sicknShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften nhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders	C C C C C C C C C C C C C C C C C C C	 		
Problems with Focus or Attention □ Other □ Strengths Considerate of other peoples' feelings Restless, overactive, cannot stay still for long Often complains of headaches, stomach-aches or sick Shares readily with other youth Often loses temper Would rather be alone than with other youth Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often nhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders	C C C C C C C C C C C C C C C C C C C			
Other□StrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sickShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften fights with other youth or bullies themOften unhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders	C C C C C C C C C C C C C C C C C C C	Lties Not True		- True
StrengthsConsiderate of other peoples' feelingsRestless, overactive, cannot stay still for longOften complains of headaches, stomach-aches or sickShares readily with other youthOften loses temperWould rather be alone than with other youthGenerally well behaved, usually complies with adult rMany worries or often seems worriedHelpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften fights with other youth or bullies themOften anhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders	& Difficul	ties Not True	Somewhat True	• True
Considerate of other peoples' feelings Restless, overactive, cannot stay still for long Often complains of headaches, stomach-aches or sick Shares readily with other youth Often loses temper Would rather be alone than with other youth Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders	ness	Not True		
Restless, overactive, cannot stay still for long Often complains of headaches, stomach-aches or sick Shares readily with other youth Often loses temper Would rather be alone than with other youth Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders	ness			
Restless, overactive, cannot stay still for long Often complains of headaches, stomach-aches or sick Shares readily with other youth Often loses temper Would rather be alone than with other youth Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders				
Often complains of headaches, stomach-aches or sick Shares readily with other youth Often loses temper Would rather be alone than with other youth Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders				
Shares readily with other youth Often loses temper Would rather be alone than with other youth Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders				
Often loses temper Would rather be alone than with other youth Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders	equests			
Would rather be alone than with other youth Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders	equests			
Generally well behaved, usually complies with adult r Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders	equests			
Many worries or often seems worried Helpful if someone is hurt, upset or feeling ill Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders	equests			
Helpful if someone is hurt, upset or feeling illConstantly fidgeting or squirmingHas at least one good friendOften fights with other youth or bullies themOften unhappy, depressed or tearfulGenerally liked by other youthEasily distracted, concentration wanders				
Constantly fidgeting or squirming Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders				
Has at least one good friend Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders				
Often fights with other youth or bullies them Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders				
Often unhappy, depressed or tearful Generally liked by other youth Easily distracted, concentration wanders				
Generally liked by other youth Easily distracted, concentration wanders				
Easily distracted, concentration wanders				
Nervous in new situations, easily loses confidence				
Kind to younger children				
Often lies or cheats				
Picked on or bullied by other youth				
Often offers to help others (parents, teachers, children)			
Thinks things through before acting				
Steals from home, school or elsewhere				
Gets along better with adults than with other youth				
Many fears, easily scared				
Good attention span, completes chores and/or homewo				

CURRENT SYMPTOMS CHECKLIST				
Please check the appropriate box for symptoms you/your child have	Daily	Some	None	
experienced in the past 2 weeks.		\checkmark	\checkmark	
Sadness/Depressed Mood/Crying Spells				
Temper Outbursts				
Withdrawn or Isolated				
Daydreaming				
Fearful				
Clumsy				
Over-reactive				
Short Attention Span/Difficulty Concentrating				
Fatigue/Low Energy				
Hard to make decisions				
Appetite increase or decrease/Feeding or eating problems				
Weight increase or decrease				
Distractible				
Suicidal thoughts				
Attempts to self -harm				
Peer Conflict/Mean to others				
Mood swings				
Increased energy				
Racing thoughts				
Bedwetting				
Decreased need for sleep				
Excessive worry				
Feeling "on edge"				
Panic Attacks				
Destructive				
Restlessness				
Irritability or Anger				
Stealing, lying, disregard for others				
Defiance toward authority				
Impulsivity				
Nightmares				
Hearing or seeing things - others don't see/hear				

Who completed this form: Darent/Guardian

□Client/Child

Both Parent and Client

Parent/Guardian Signature

Date

Client/Child Signature

Date



OUTPATIENT MENTAL HEALTH SERVICES AND SUBSTANCE USE DISORDER SERVICES WELCOME LETTER

Welcome to our clinic! We understand that the amount of paperwork presented for review and signatures during the first visit can be overwhelming. We urge you to let us know if you need a break or if you have any questions as the required paperwork is completed. Thank you for your patience.

<u>Forms</u>

Attached you will find several items for your review. You may keep the following documents for your records:

- HIPAA Notice of Privacy Practices
- Brochure "Client Rights and the Grievance Procedure" or "Rights of Children and Adolescents" -This includes information about filing a grievance

Upon completion of your paperwork, you may ask for a copy of your signed:

- Informed Consent
- Clients Rights Policy

Contact numbers

You may call the clinic at: 888-834-4551 to make an appointment. NorthLakes Community Clinic <u>does not</u> provide emergency behavioral health care. Always, in the case of an emergency, dial 911. If you are having a crisis after hours call the Mental Health Crisis line at 1-866-317-9362 or the National Suicide Prevention Lifeline at 1-800-273-8255 or go to your local emergency room.

General clinic hours of services are Monday through Friday from 8:00 a.m. to 5 p.m.

<u>Discharge</u>

As determined by you and your therapist, you will be discharged upon completion of your treatment program.

There are circumstances under which you may be involuntarily discharged. The following are possible reasons for an involuntary discharge:

- referral to another treatment resource is deemed necessary by your provider
- excessive missed appointments

I have read and understand the above, have had an opportunity to ask questions about this information. I understand that I have the right to ask questions of my treatment provider about the above information at any time.

Signature of client ages 18 years or older or legal representative

Date

Witness

NorthLakes COMMUNITY CLINIC

INFORMED CONSENT

Patient Name: _

DOB:

I understand that I am seeking services regarding a health problem or suspected health problem at NorthLakes Community Clinic (NorthLakes) to be provided by authorized employees of the Clinic, etc. I consent to routine services, which may include but are not limited to: assessment, evaluation, diagnosis, treatment planning, therapy, group therapy, education, discharge planning, referral, and follow up care. These program elements have been explained to me and I understand what the services are. I understand I can withdraw this consent at any time, and that **it is effective for one year from this date**.

In addition to the above be informed that:

- Benefits that will come from this treatment could include a solution to your presenting problem, better coping skills or a better adjustment to your life situation.
- You and your provider will establish the treatment plan that will include how often you will meet with the provider and who may be included in your treatment.
- The clinician providing treatment is not credentialed by OptumHealth/UBH and the visits will be billed under their supervising provider.
- Treatment does not always result in positive changes. Occasionally the problems remain despite your and your provider's best efforts. In some cases, new problems may arise or unwanted changes occur. For example, talking about your depression may make you feel worse initially, or as you get better, other problems arise and become important.
- Besides the proposed ways of addressing your problems, there are other resources such as self help groups, spiritual teachers, cultural activities, church or other support groups or providers with different approaches.
- If you elect not to seek treatment a number of things could happen. Your problems may solve themselves, your problems may remain as they are, your problems may worsen, or new problems may appear.
- Information shared in sessions is confidential and will not be released without specific written authorization from you or your representative. For the purpose of continuity of care, information can be shared with other providers within the NorthLakes Clinic who are also involved in your treatment. This confidentiality remains after termination and we maintain records for seven years.

Information that cannot be kept confidential that your provider and NorthLakes Community Clinic is required by law to release includes:

- Suspected or actual physical and/or sexual abuse or neglect of a child or vulnerable adult
- Information requested in a court order
- Situation in which you are judged to be in imminent or immediate danger of harming self or others.

NorthLakes Clinic does not provide emergency behavioral health care. In case of an emergency, please contact your local emergency room or call the Crisis Hotline at (866) 317-9362.

Our general hours of service are 9:00AM-5:00PM.

By my signature below, I give consent for the administration of the above described treatment. I have been given complete and accurate knowledge, and I understand that no promises have been given to me as to the results of the treatment.

Signature of Patient/Legal Guardian

Date

Date

888.834.4551 nlccwi.org

CLIENT RIGHTS POLICY

Patient Name: _

DOB:

Clients have the following rights under Wisconsin state law:

• The right to be informed of your rights as a patient/client. 51.61(1)(a)

NorthLakes

COMMUNITY CLINIC

- Nondiscrimination on the basis of race, religion, age, sex, or sexual orientation, ethnic origin, physical or mental impairment, financial or social status. 51.90
- The right to the least restrictive treatment conditions necessary. 51.61(1)(e)
- The right to receive prompt and adequate treatment. 51.61(1)(f)
- The right to be informed of your treatment and care and to participate in the planning of your treatment and care. 51.61(1)(fm)
- The right to be free from any unnecessary or excessive medications at any time. 51.61(1)(h)
- The right to refuse all medication and treatment unless court-ordered or unless medication and/or treatment is necessary to prevent serious physical harm to the yourself or to others. 51.61(1)(g)
- The right to a humane psychological and physical environment. 51.61(1)(m)
- The right not to be subjected to experimental research without your informed, written consent. 51.61(1)(j)
- The right not to be subjected to psychosurgery or other drastic treatment procedures without your written, informed consent. 51.61(1)(k)
- The right to petition the court for review of your commitment order. 51.61(1)(d)
- The right to confidentiality of all treatment records, to review and copy certain records, and to challenge the accuracy, completeness, timeliness or relevance of information in your records in accordance with the provisions of section 51.30. 51.61(1)(n)
- The right not to be filmed or taped without your permission. 51.61(1)(0)
- Be informed about the costs of treatment and medications. 51.61(1)(w)
- The right to file a grievance about violation of these rights without fear of retribution. 51.61(1)(u)
- The right to go to court if you believe that your rights were violated. 51.61(7)(a)
- Have the right to be treated with respect and recognition of the patient's dignity and individuality by all employees of the treatment facility or community mental health program and by licensed, certified, registered or permitted providers of health care with whom the patient comes in contact. 51.61(1)(x)

By my signature below, I acknowledge that I received or was offered a copy of the Clients Rights.

Signature of Patient/Legal Guardian

Date

Date

Signature/Initials of NorthLakes Staff

Х

CONSENT TO TREATMENT

Patient Name: ______ Birth date: _____

I give consent for my child or dependent adult of whom I am the parent/guardian to receive counseling as deemed necessary by the providers at NorthLakes Community Clinic. This consent shall be considered in effect until rescinded or amended.

(Relationship)

(Print your name)

(Your signature)

(Witness)

This section needs to be completed for children under the age of 18 and dependent adults by a parent or legal guardian ONLY.

I affirm that I am the parent or legal guardian for the above named patient. If I am unable to accompany the patient, I give permission for the individuals named below to escort the patient and authorize treatment. The responsible adult bringing the patient must remain at the office for the duration of the appointment.

Name:	Relationship:
Name:	Relationship:

*If child / dependent adult is 16-18 years old, please check one:

Since my child / dependent adult is over the age of 16, I also give permission for him/her to present for treatment unaccompanied.

Telephone

Name: Relationship:

Although my child / dependent adult is over 16, I wish to be present for all treatments performed.

(Signature of parent or legal guardian)

Consent provided by: 🗖 In Person

This consent shall be considered in effect until rescinded or amended.

NL-Form 305

888.834.4551

nlccwi.org

(Date)



(Date)

(Date)

NL-BH.AttenPolicy0519

ATTENDANCE POLICY

Client Name:

Therapy will not be effective unless it is consistent and regular. Therefore, regular attendance at all appointments is important.

CANCELLATIONS - NON EMERGENCY:

Except for emergency situations, all appointments are to be cancelled at least 24 hours in advance by calling or cancelling in person. We consider the following to be examples of NON EMERGENCY reasons to cancel an appointment: vacations, prescheduled doctor appointments, family events, parties, recreational events, after school activities, lack of baby sitter, holiday weekend, school holiday, day before or after a holiday, schedule conflict, and sibling illness.

CANCELLATIONS - EMERGENCY:

In case of emergency (sudden illness,	death in family, hospitalization,	emergency doctor visit	t), appointment must be cancelled as
early as possible prior to appointment	time.		Initial

CLOSINGS DUE TO WEATHER:

If NorthLakes Community Clinic decides to close the office due to poor weather, we will contact you. We do not necessarily close because school is closed. If we are open, and you decide to cancel due to weather conditions, we ask that you do so at least 2 hours before your scheduled appointment.

ATTENDANCE:

If two appointments are missed and/or cancelled with less than 24 hours due to a non-emergency you and I will have to discuss whether or not to continue working together. A third such event within a two month period may lead to termination of your behavioral health treatment at NorthLakes Community Clinic.

MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE ABOVE POLICY AND UNDERSTAND AND ACCEPT THE TERMS AND CONDITIONS.

X			
	Client Signature	Date	-
X			
	Parent/Guardian Signature	Date	-
X			
	Therapist Signature	Date	-

NorthLakes COMMUNITY CLINIC

Date: _____

888.834.4551

DOB:

nlccwi.org

NorthLakes COMMUNITY CLINIC

SERVICE FEES

Fees associated with our counseling services

This table shows session fees for Behavioral Health Services with a Behavioral Health Counselor. These fees exclude any Pyschiatriac Nurse Practioner Testing

Insurance benefits vary, please call your insurance for coverage questions.

BEHAVIORAL HEALTH COUNSELING FEES

Initial and Updated Evaluations	\$205.00
Individual- 30 minute Session	\$140.00
Individual- 45 minutes Session	\$160.00
Individual- 60 minutes Session	\$215.00
Family without Client Session	\$115.00
Family with Client Session	\$156.00
Group Session	\$125.00
Couples Therapy Please check with your insurance about Couple's Therapy coverage	\$156.00

QUALIFYING- BEHAVIORAL HEALTH SLIDING FEE SCALE FEES

Slide A	\$ 0.00
Slide B	\$10.00
Slide C	\$15.00
Slide D	\$20.00
Slide E	\$25.00

TESTING FEES

OWI Assessment- Ashland County Resident	\$200.00
OWI Assessment- Bayfield County Resident	\$200.00
Psychological/Neuropsychological Testing	\$297.00 first 60 minutes and \$226.00 for each additional 60 minutes
Psychological/Neuropsychological Battery of Tests	\$120.00 first 30 minutes and \$111.00 for each additional 30 minutes

I verify that I have been shown the fees for Behavioral Health Services.

Client Signature:	_Date:
Parent/Guardian:	_Date:
Witness Signature:	_Date: